SCOTTSDALE

SKIN & CANCER CENTER, LTD.

10900 N. Scottsdale Road

Suite 502

Scottsdale, Arizona 85254

JOSEPH M. SCHERZER, M.D.

Diplomate of the American Board of Dermatology

Diplomate of the American Board of Dermatopathology

June 5, 1998

1576 '98 JUN 11 A9:53

Food and Drug Administration Dockets Management Branch (HCFA-305) 12420 Parklawn Drive, Room 1-23 Rockville, Maryland 20857

Re: Section 503(A), RFA Modernization Act of 1997 Docket No. 98N-0182

To Whom It May Concern:

Just a correction to the enclosed previously sent letter. The name of the gel base supplied by C&M Pharmacal is "Gel Base R."

Thank you.

Sincerely,

Joseph M. Scherzer, M.D.

George F. Stizen

dd

P.2

**ohnson** makes no claim whatsoever that **Renova** is safe for acne, while the other brand name of .05% **retinoic** acid, **Retin** A, is marketed directly for acne.)

thyl alcohol, while C&M uses isopropyl alcohol. Retin A (Ortho) uses hydroxypropylcellulose s a gellant while C&M uses Carbomer 940. I prefer C&M's agents; the final product is moother, and has had great patient acceptance.

am using these cream and gel bases for the sole purpose of compounding these tretinoin ormulations I have just described.

There are many examples in dermatology of the importance of specific bases, which can make II the difference in the world to patients. The selection of such should be left to the individual practitioner. For example, if I prescribe Aristocort A cream for my patients with a dry skin ondition called eczema (atopic dermatitis), I will help them by use of its moisturizing base. If I termit a generic substitution (which many formularies are now demanding), my patients can well vind up with the same active ingredient formulated in a drying, desiccating vehicle, which can lry out their skin and make their eczema worse instead of better. we need to be able to do what we are trained to do, for the best interests of the patients and the profession as a whole.

Sincerely yours.

oseph M. Scherzer, M.D.

SCOTTSDALE SKIN & CANCER CENTER. LTD.

10900 N. Scottsdale Road

Suite 502

Scottsdale, Arizona 85254

JOSEPH M. CHERZER, M.D.

Diplomate of the American Board of Dermatology

Diplomate of the American Board of Dermatopathology

F | od and Drug Administration

Ckets Management Branch (HI? A-305)

1 420 Parklawn Dr., Room 1-23

R ckville, Maryland 20857

June 3, 1998

Re: Section 503(A), FDA Modernization Act of 1997

Docket No. 98N-0 182

Whom It May Concern:

F wing just learned of this act, and of an imminent deadline concerning same, I wish to nominate t o vehicles I am using to compound several forms of retinoic acid for my patients.

I am compounding three different strengths of a retinoic acid cream (0.025%, 0.05%, and 0.1%) a d two different strengths of a retinoic acid gel, using Cream Base R from C & M Pharmacal for t : cream, and a gel base for the gels. these are ued topically only, for acne, and comedones.

rsuant to section 503(A), (a)(2) (A), I am a licensed physician in active private practice in izona, compounding these products in limited quantities before the receipt of a valid ascription order for individual patients, and (B) also based on my history as such a licensed sysician having received many prescription requests for all of these products over many years my patients, who are the only individuals for whom I prescribe such products (B)(ii)(I).

egarding 503(A)(b)(2) [Definition], I am using drug products which represent a change made for my aforementioned patients which produces for those patients a significant difference, as determined by myself, between the compounded drug and commercially available drug product. Here is the information you require about the bulk drug substances I am using:

I am using (as a main ingredient) retinoic acid (tretinoin), USP chemical grade, supplied to me in crystalline form. As far as bibliographical information concerning its safety and efficacy, I would refer you to Ortho's Retin A NDA

I formulate 0.025\%, 0.05\% and 0.1\% cream forms of this, and 0.01\% and 0.025\% gel forms all topical preparations.

The cream base R supplied by C&M Pharmacal, unlike Retin A, has no isopropyl myristate, avoiding a potential irritant. Unlike Renova, the has. has no Mineral oil, thus avoiding potential comedogenicity. Also, unlike Renova, I can provide two other strengths of retinoic acid in a cream base, and offer better therapeutic effects for my patient population. Many of my patients who request a Renova-like product are younger, rather than older patients, and either prone to acne or currently being treated for it. Renova would not be appropriate here. (Johnson and

SCOTTSDALE SKIN & CANCER CENTER, LTD. 10900 N. Scottsdale Road Suite 502 Scottsdale, Arizona 85254

JOSEPH M. SCHERZER, M.D.



Food and Drug Administration Dockets Management Branch (HCFA-305) 12420 Parklawn Drive, Room 1-23 Rockville, M-D 20857

Intelligation of the latest and the